


8-15-07

YFW



Keith M. Landry
Registered Patent Attorney
Direct Dial 504-582-8702
Fax 504-582-8583
klandry@joneswalker.com

August 14, 2007

VIA EXPRESS MAIL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Inventor: Perry L. Schwalb, et al.
Serial No.: 09/726,475
Filing Date: 11/30/2000
Group: 3626
Title: ELECTRONIC METHOD AND SYSTEM THAT IMPROVES
EFFICIENCIES FOR RENDERING DIAGNOSIS OF RADIOLOGY
PROCEDURES
Examiner: Frenel, Vanel
Our File: 15637/7784200

Dear Sir:

With respect to the above-described patent application, enclosed for filing please find a Response to the Office Action, dated May 21, 2007.


This Response is being filed within 3 months of the date of the Office Action.

Thank you for your assistance.

Sincerely,

Keith M. Landry

KML/pbk
Enclosure
cc: Greg Couch (via regular mail; w/atts.)

15637/77842-00



EB248910920US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: PERRY L. SCHWALB ET AL.
Serial No.: 09/726,475
Filing Date: November 30, 2000
Art Unit: 3626
Examiner: Frenel, V.
For: ELECTRONIC METHOD AND SYSTEM THAT
IMPROVES EFFICIENCIES FOR RENDERING
DIAGNOSIS OF RADIOLOGY PROCEDURES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO FIRST OFFICE ACTION
FOLLOWING SECOND REQUEST FOR CONTINUED EXAMINATION

This Response is being submitted in response to that certain First Office Action, dated May 21, 2007, issued in connection with the above-described application. This First Office Action is the first Office Action issued by the examiner following the Applicant's filing of its second Request for Continued Examination on March 12, 2007. This Response is being filed within 3 months of the mailing date of such First Office Action. Applicant respectfully requests reconsideration of the application.